





**Compact Line stepped shaft**



**Ewamatic Line**

## EWAG grinding wheel adapters for less

EWAG wheel adapters will full ring sets			
Description	Application	Nose Length	Price
HSK 50C	Compact Line stepped shaft	91 mm	\$750
ø80	Ewamatic Line	85 mm	\$600
WALTER wheel adapters with full ring sets			
NCT63	Power/Mini Power	60 mm	\$306
		100 mm	\$374
HSK 50	Vision/Power Wheel Changer	40 mm	\$455
		60 mm	\$472
		100 mm	\$551
ANCA wheel adapters with full ring sets			
Big Plus	TX7	95 mm	\$893
HSK 50F	MX5/7	55 mm	\$404
		72 mm	\$444
Rollomatic wheel adapters with full ring sets			
Perfect Arbor	529XS etc	85 mm straight	\$618
		Stepped	\$837

Our high precision German wheel adapters from GDS meet or exceed all OEM specs, but our prices are lower! Maximize spindle life and tool quality with grinding wheel adapters that offer you:

- Maximum taper accuracy by using constantly controlled and calibrated measuring equipment. HSK mating surfaces machined to within 10 microns
- Absolute accuracy of fit and optimum radial and axial run-out. HSK adapters balanced to G1.6 @ 10,000 RPM
- Extreme load-bearing capacity, thanks to our use of tempered material and the best heat treating processes (vacuum hardened to 54 Rc)
- Optimum surface quality and long-term dimensional stability and precision, as well as spindle protection, thanks to our finishing processes

We offer adapters for all major brands, to include adapters for dressing, presetting, and balancing. But given their popularity and long lead time we strongly encourage you to order in advance!

**Call:** +1 (540) 940-5977  
**Email:** [info@toolroom.solutions](mailto:info@toolroom.solutions)  
**Web:** [www.toolroom.solutions](http://www.toolroom.solutions)

**Order now!**



# Grinding wheel adapters

and  
Accessories



good better BLUE

20 YEARS  
since 1998 GDS



## Grinding wheel adapter and accessories

Precision grinding requires an optimal spindle and a flawless grinding wheel, both of which depend on a perfect grinding wheel adapter.

# "Our quality for your success"

We adapt to your requirements and guarantee our quality.

**GDS** - the precision makers



Our grinding wheel adapters are characterised by the following:



Maximum taper accuracy by using constantly controlled and calibrated measuring equipment.



Absolute accuracy of fit and optimum radial and axial run-out.



Extreme load-bearing capacity due to the use of tempered material and the best heat treating processes.





Optimum surface quality and associated long-term dimensional stability and precision, as well as spindle protection as a result of finished surfaces.



Balanced models for improved grinding results and spindle life.

For EWAG tool grinding machines with ring set ø35 mm

## GWA ø80 mm // ø20 mm // RS ø35 mm



Delivered equipped:

Ring set ø35 mm, clamping nut with balancing weights and M10 clamping screw

Order No.	d	L	L1	Ring set ø35 mm	
				B 10	B 4
300140012	20	45	85	2	3



## Accessories EWAG grinding wheel adapter 80 mm // Shaft ø20 mm // Ring set ø35 mm

Order No.	Name	
350020081	*Balancing weight pair for clamping nut ø35 // 40gmm	
350040040	*Clamping nut wrench PC29 for ø20 for clamping nut with balancing option	
350040041	*Spannmutterschlüssel TK29 für ø20	

Order No.	Name	
350012004	Spacer ring ø35 x ø20 x 4	
350012010	Spacer ring ø35 x ø20 x 10	
350020080	*Clamping nut with balancing option ø35 x ø40 x 8 x M20 x 1 PC29	

For EWAG tool grinding machines with ring set ø35 mm

## GWA ø80 mm // ø20 mm // RS ø35 mm



Delivered equipped:

Ring set ø35 mm, clamping nut with balancing weights and M10 clamping screw


Ring set ø35 mm

Order No.	d	L	B 10	B 4
300141012	20	20	-	2
300141022	20	45	2	3

## Accessories EWAG grinding wheel adapter 80 mm // Shaft ø20 mm // Ring set ø35 mm

Order No.	Name	
350020081	*Balancing weight pair for clamping nut ø35 // 40gmm	
350040040	*Clamping nut wrench PC29 for ø20 for clamping nut with balancing option	
350040041	*Spannmutterschlüssel TK29 für ø20	

Order No.	Name	
350012004	Spacer ring ø35 x ø20 x 4	
350012010	Spacer ring ø35 x ø20 x 10	
350020080	*Clamping nut with balancing option ø35 x ø40 x 8 x M20 x 1 PC29	



Order No.	Name
300149001	M10 adapter screw to ø10 EWAG M10 for article 300140012
300149002	M10 adapter screw to ø10 EWAG M10 for article 300141022



\*related items



# EWAG ø80 mm // Shaft ø40 mm // RS 70 mm

For EWAG tool grinding machines with ring set ø70mm

## GWA ø80 mm // ø40 mm // RS 70 mm





Delivered equipped:

Spacer ring ø70 mm, clamping nut with balancing weights and M10 clamping screw

Ring set ø70 mm

Order No.	d	L	A	B 12
300140242	40	45	15	1

## GWA ø80 mm // ø40 mm // without RS



Delivered equipped:

Clamping nut with balancing weights and M10 clamping screw

Order No.	d	L	A
300140212	40	20	15
300140222	40	20	30
300140232	40	20	49

## Accessories EWAG grinding wheel adapter ø80 mm // Shaft ø40 mm // RS 70 mm

Order No.	Name
350020082	*Balancing weight pair for clamping nut ø78 EWAG





Order No.	Name
350014012	Spacer ring ø70 x ø40 x 12
350020025	*Clamping nut with balancing option ø78 x 8,5 x M40x1,5



# EWAG ø125 mm // Shaft ø50 mm

For EWAG tool grinding machines

## GWA ø125 // ø32 mm



Delivered equipped:  
Flange and counter-flange with balancing weights and  
4pc. M6x25 clamping screws

Order No.	Name
300140311	Grinding wheel adapter EWAG ø125 x ø50 x A15

## Accessories EWAG grinding wheel adapter ø125 // Shaft ø32 mm

Order No.	Name
350020082	Balancing weight pair for clamping nut ø78 EWAG



\*related items



μGrind HPS 20 // HPS 20L



μGrind Nann 3409E



μGrind HSK



μGrind Hydro



Our Clamping and balancing technology catalogue contains all our quick-acting chucks.

In North America contact:

**Toolroom Solutions Inc.**

8824 Old Block House Ln  
Spotsylvania, VA 22551 USA

Tel: +1 (540) 940-5977  
Email: [info@toolroom.solutions](mailto:info@toolroom.solutions)  
Web: [www.toolroom.solutions](http://www.toolroom.solutions)

**GDS**<sup>®</sup>  
Made in Germany

GDS Präzisionszerspanungs GmbH  
Endelbergstrasse 8  
D - 72131 Ofterdingen

