

Grinding wheel adapters

and
Accessories



good better BLUE

20 YEARS
since 1998 GDS



Grinding wheel adapter and accessories

Precision grinding requires an optimal spindle and a flawless grinding wheel, both of which depend on a perfect grinding wheel adapter.

"Our quality for your success"

We adapt to your requirements and guarantee our quality.

GDS - the precision makers



Our grinding wheel adapters are characterised by the following:



Maximum taper accuracy by using constantly controlled and calibrated measuring equipment.



Absolute accuracy of fit and optimum radial and axial run-out.



Extreme load-bearing capacity due to the use of tempered material and the best heat treating processes.



Optimum surface quality and associated long-term dimensional stability and precision, as well as spindle protection as a result of finished surfaces.




Balanced models for improved grinding results and spindle life.

Saacke HSK50 // Shaft $\varnothing 20$ mm // RS $\varnothing 35$ mm

For Saacke tool grinding machines with ring set $\varnothing 35$ mm

GWA HSK50 // $\varnothing 20$ mm // RS $\varnothing 35$ mm




Delivered equipped:
Reducing washer, ring set $\varnothing 35$ mm, lock washer and clamping nut

Ring set $\varnothing 35$ mm

Order No.	HSK	d	L	B 20	B 10	B 4
300012512	HSK50	20	40	-	1	3
300012522	HSK50	20	60	1	1	3
300012532	HSK50	20	75	1	2	4
300012542	HSK50	20	85	2	1	4
300012552	HSK50	20	100	2	3	3

GWA HSK50 // $\varnothing 20$ mm // without RS



Delivered equipped:
Reducing washer, lock washer and clamping nut

Order No.	HSK	d	L
300012511	HSK50	20	40
300012521	HSK50	20	60
300012531	HSK50	20	75
300012541	HSK50	20	85
300012551	HSK50	20	100

Accessories Saacke grinding wheel adapter HSK50 // Shaft $\varnothing 20$ mm // Ring set $\varnothing 35$ mm


Order No.	Name	
350050010	Universal assembly device $\varnothing 50$	
350040010	Clamping nut wrench PC27 for $\varnothing 20$	
350040011	Clamping nut wrench PC27 for $\varnothing 20$	
350040040	*Clamping nut wrench PC29 for $\varnothing 20$ for clamping nut with Balancing option	
350040041	*Spannmutterschlüssel TK29 für $\varnothing 20$	
350020081	*Balancing weight pair for clamping nut $\varnothing 35$ // 40gmm	

Order No.	Name	
350012020	Spacer ring $\varnothing 35$ x $\varnothing 20$ x 20	
350012010	Spacer ring $\varnothing 35$ x $\varnothing 20$ x 10	
350012004	Spacer ring $\varnothing 35$ x $\varnothing 20$ x 4	
350015006	Reducing washer $\varnothing 40$ x $\varnothing 35$ x $\varnothing 20$ x 6	
350030020	Lock washer $\varnothing 35$ x $\varnothing 20$ x 2	
350020030	Clamping nut $\varnothing 35$ x 6 M20 x 1 PC27	
350020080	*Clamping nut with balancing option $\varnothing 35$ x $\varnothing 40$ x 8 x M20 x 1 PC29	
350015005	Support washer $\varnothing 35$ x $\varnothing 60$ x $\varnothing 20$ x 6	

Saacke HSK50 // Shaft ø20 mm // RS ø50 mm

For Saacke tool grinding machines with ring set ø50 mm


GWA HSK50 // ø20 mm // RS ø50 mm



Delivered equipped:
Reducing washer, ring set ø50 mm, lock washer and clamping nut

Order No.	HSK	d	L	Ring set ø50 mm		
				B 20	B 10	B 4
300012012	HSK50	20	40	-	1	3
300012022	HSK50	20	60	1	1	3
300012032	HSK50	20	75	1	2	4
300012042	HSK50	20	85	2	1	4
300012052	HSK50	20	100	2	3	3

GWA HSK50 // ø20 mm // without RS



Delivered equipped:
Reducing washer, lock washer and clamping nut

Order No.	HSK	d	L
300012011	HSK50	20	40
300012021	HSK50	20	60
300012031	HSK50	20	75
300012041	HSK50	20	85
300012051	HSK50	20	100

Accessories Saacke grinding wheel adapter HSK50 // Shaft ø20 mm // Ring set ø50 mm

Order No.	Name	
350050010	Universal assembly device ø50	
350040010	Clamping nut wrench PC27 for ø20	
350040011	Clamping nut wrench PC27 for ø20	
350020021	*Balancing weight pair for clamping nut ø50 // 100gmm	


Order No.	Name	
350011020	Spacer ring ø50 x ø20 x 20	
350011010	Spacer ring ø50 x ø20 x 10	
350011004	Spacer ring ø50 x ø20 x 4	
350030010	Lock washer ø50 x ø20 x 2	
350020060	Clamping nut ø50 x 6 x M20 x 1 PC27	
350020020	*Clamping nut with balancing option ø50 x 8,5 M20 x 1,0 PC27	
350015002	Reducing washer ø40 x ø50 x ø20 x 6	

*related items

Saacke HSK-C50 // Shaft $\varnothing 31.75$ mm // RS $\varnothing 60$ mm

For Saacke tool grinding machines with ring set $\varnothing 60$ mm

GWA HSK50 // $\varnothing 31.75$ mm // RS $\varnothing 60$ mm



Delivered equipped:

Reducing washer, ring set $\varnothing 60$ mm, lock washer and clamping nut

Ring set $\varnothing 60$ mm

Order No.	HSK	d	L	B 20	B 10	B 4
300012112	HSK50	20	40	-	1	3
300012122	HSK50	20	60	1	1	3
300012132	HSK50	20	75	1	2	4
300012142	HSK50	20	85	2	1	4
300012152	HSK50	20	100	2	3	3

Accessories Saacke grinding wheel adapter HSK50 // $\varnothing 31.75$ mm // Ring set $\varnothing 60$ mm

Order No.	Name	
350050010	Universal assembly device $\varnothing 50$	
350040030	*Clamping nut wrench PC39 for clamping nut with blancing option	
350040020	Clamping nut wrench PC45 for $\varnothing 32$	
350020023	*Balancing weight pair for clamping nut $\varnothing 60$ // 200gmm	



Order No.	Name	
350011420	Spacer ring $\varnothing 60 \times \varnothing 31,75 \times 20$	
350011410	Spacer ring $\varnothing 60 \times \varnothing 31,75 \times 10$	
350011404	Spacer ring $\varnothing 60 \times \varnothing 31,75 \times 4$	
350030060	Lock washer $\varnothing 60 \times \varnothing 32 \times 1,8$	
350020066	Clamping nut $\varnothing 60 \times 6 \times M32 \times 1,5$ PC45	
350020022	*Clamping nut with balancing option $\varnothing 60 \times 9$ M32 x 1,5 PC39	

*related items

Saacke short taper // Shaft ø20 mm // RS ø50 mm

For Saacke tool grinding machines with ring set ø50 mm

GWA short taper // ø20 mm // RS ø50 mm



Delivered equipped:
Ring set ø50 mm, lock washer, tightening screw and clamping nut

Order No.	taper	d	L	Ring set ø50 mm		
				B 20	B 10	B 4
300014012	Saacke	20	40	-	1	4
300014022	Saacke	20	60	1	1	4
300014042	Saacke	20	100	2	3	4

Accessories Saacke grinding wheel adapter short taper // Shaft ø20 mm // Ring set ø50 mm

Order No.	Name	
350040010	Clamping nut wrench PC27 for ø20	
350040011	Clamping nut wrench PC27 for ø20	
350020021	*Balancing weight pair for clamping nut ø50 // 100gmm	

Order No.	Name
250000107	Tightening screw Saacke ø20 x 49

Order No.	Name	
350011020	Spacer ring ø50 x ø20 x 20	
350011010	Spacer ring ø50 x ø20 x 10	
350011004	Spacer ring ø50 x ø20 x 4	
350030010	Lock washer ø50 x ø20 x 2	
350020060	Clamping nut ø50 x 6 x M20 x 1 PC27	
350020020	*Clamping nut with balancing option ø50 x 8,5 M20 x 1,0 PC27	
350015003	Support washer ø50 x ø75 x ø20 x 6	

*related items



μGrind HPS 20 // HPS 20L



μGrind Nann 3409E



μGrind HSK



μGrind Hydro



Our Clamping and balancing technology catalogue contains all our quick-acting chucks.

In North America contact:

Toolroom Solutions Inc.

8824 Old Block House Ln
Spotsylvania, VA 22551 USA

Tel: +1 (540) 940-5977
Email: info@toolroom.solutions
Web: www.toolroom.solutions

GDS[®]
Made in Germany

GDS Präzisionszerspanungs GmbH
Endelbergstrasse 8
D - 72131 Ofterdingen

